



WOODEN BOX SERIES

SPECIFICATION

Model name	LOVE-15A	LOVE-215A	LOVE-18A
Power RMS	400+100W	500+500W	600W
Frequency	42Hz-20KHz	42Hz-20KHz	35Hz-250Hz
Sensitivity(1w@1m)	98dB	101dB	96dB
Peak SPL	128dB	131dB	128dB
LF system	15"woofer, 3"VoiceCoil	2x15"woofer, 3"VoiceCoil,	18"woofer, 4"VoiceCoil,
HF system	1.75"Titanium	2"Titan.	SUBWOOFER
Voltage	115V~230V /PASSIVE	115V~230V /PASSIVE	115V~230V/PASSIVE
Amplifier	CLASS D WITH DSP	CLASS D WITH DSP	CLASS D WITH DSP
	PLYWOOD	PLYWOOD	PLYWOOD

SPECIFICATION

Model name	LOVE-228A	LOVE-212A	LOVE-12A
Power RMS	800+800W	500+500W 8OHM	400W+100W
Frequency	29Hz-150Hz	35Hz-250Hz	CLASS D WITH DSP
Sensitivity(1w@1m)	97dB	99dB	97dB
Peak SPL	127dB	129dB	127dB
LF system	2x18"woofer, 4"VoiceCoil	2x12"woofer, 4"VoiceCoil	12" 2.5VC
HF system	SUBWOOFER	SUBWOOFER	1.34"Titanium
Voltage	115V~230V /PASSIVE	115V~230V /PASSIVE	115V~230V /PASSIVE
Amplifier	CLASS D WITH DSP	CLASS D WITH DSP	CLASS D WITH DSP
	PLYWOOD	PLYWOOD	PLYWOOD



LINE ARRAY SERIES

LINX212 / LINX212A

Passive/ Active (1000W+1000W With Dsp serices)

SPECIFICATION

System type LINX212: Two-way Speaker
 Frequency Response: 50~18KHZ
 Component...LF: 2x12"/3"VC
 HF: 2x2"VC
 Rated Power: 1000W
 Program Power: 2000W
 Sensitivity: 101dB
 Max SPL: 131dB
 Impedance: 4ohm
 Net Weight: 43KG



LINE ARRAY SERIES


LINX208 / LINX208A

Passive/ Active (1000W+1000W With Dsp serices)

SPECIFICATION

System type LINX208S: SUB Speaker
 Frequency Response: 40~1KHZ
 Components: 1x15"/4"VC
 Rated Power: 600W
 Program Power: 1200W
 Sensitivity: 98dB
 Max SPL: 128dB
 Impedance: 8ohm
 Net Weight: 32KG

System type LINX208: Two-way Speaker
 Frequency Response: 65~18KHZ
 Component...LF: 2x8"/2.5"VC/NEO
 HF:2x1.34"VC
 Rated Power: 500W
 Program Power: 1000W
 Sensitivity: 99dB
 Max SPL: 123dB
 Impedance: 8ohm
 Net Weight: 18KG



LINE ARRAY SERIES

LINX206 / LINX206PLUS

Active 1200+1200w, dsp control

SPECIFICATION

System type linx-206 : SUB Speaker
 Frequency Response: 40~1KHZ
 Components: 1x15"/3"VC
 Rated Power: 450W
 Program Power: 900W
 Sensitivity: 98dB
 Max SPL: 128dB
 Impedance: 4ohm/Active
 Net Weight: 30KG

System type linx-206: Two-way Speaker
 Frequency Response: 80~18KHZ
 Component...LF: 2x6"/1"VC
 HF: 1x1.34"VC
 Rated Power: 150W
 Program Power: 300W
 Sensitivity: 95dB
 Max SPL: 116dB
 Impedance: 16ohm
 Net Weight: 9KG



LINE ARRAY SERIES

LINX204 / LINX204PLUS

(500W+500W With Dsp series)

SPECIFICATION

System type linx-204 sub: SUB Speaker
Frequency Response: 40~1KHZ
Components: 1x12"/3"VC
Rated Power: 400W
Program Power: 800W
Sensitivity: 98dB
Max SPL: 127dB
Impedance: 4ohm/Active
Net Weight: 22KG

System type linx-204: Two-way Speaker
Frequency Response: 100~18KHZ
Component...LF: 2x4"/1"VC
HF: 1x1.34"VC

Rated Power: 100W
Program Power: 200W
Sensitivity: 94dB
Max SPL: 114dB
Impedance: 16ohm
Net Weight: 6KG



LINE ARRAY SERIES

LINX 210

Two-way Speaker

SPECIFICATION

Frequency Response: 50~18KHZ
Component...LF: 2x10"/2.5"VC NEO
HF: 3"VC NEO
Rated Power: 650W
Program Power: 1300W
Sensitivity: 101dB
Max SPL: 129dB
Impedance: 4ohm
Net Weight: 30KG




LINE ARRAY SERIES

LINX -110

Two-way Speaker 10 inch line array

SPECIFICATION

Frequency Response: 50~18KHZ
Component...LF: 10"/2.5"VC NEO
HF: 2x1.75"VC NEO
Rated Power: 350W
Program Power: 700W
Sensitivity: 98dB
Max SPL: 126dB
Impedance: 8ohm
Net Weight: 25KG



LINE ARRAY SERIES

LINX 932

Two-way Speaker

SPECIFICATION

Frequency Response: 50~18KHZ
Component...LF: 12"/3"VC NEO
HF: 3x1.5"VC NEO
Rated Power: 450W
Program Power: 900W
Sensitivity: 99dB
Max SPL: 128dB
Impedance: 8ohm
Net Weight: 26KG

Linx-918
Subwoofer: 18 inch/ 4 "VC
Power is: 1000w
Sensitivity: 98dB
Max SPL: 127dB

ACTIVE: 600+600W
DSP CONTROL




LINE ARRAY SERIES

VT-4888 System

SPECIFICATION

Three way line array
 Frequency Response: 40~20KHZ
 Components: 2 x 12"/3"VC/NEO
 HF: 2 x 75mm, NEO
 MD: 4 x 6.5" ferrite
 Rated Power: 1000W
 Program Power: 2000W
 Sensitivity: 101dB
 Max SPL: 131dB
 Impedance: 8ohm/
 Net Weight: 48KG



COLUMN SERIES

Y208 System

SPECIFICATION

2.1 series
 15 inch sub have 2 pcs 8 inch 2 way speaker
 DSP control
 Power is : 600+2x150 RMS
 8 inch : 50oz---woofer , 1 inch tweeter
 15 inch : 100oz---woofer



COLUMN SERIES

Y404 System

SPECIFICATION

System type Y404SA: SUB Speaker
 Frequency Response: 40~1KHZ
 Components: 1x12"/3"VC
 Rated Power: 300W
 Program Power: 600W
 Sensitivity: 97dB
 Max SPL: 125dB
 Impedance: 4ohm/Active
 Net Weight: 25KG
 System type Y404: Two-way Speaker
 Frequency Response: 100~18KHZ
 Component...LF: 4x4"/1"VC
 HF: 1x1"VC/NEO
 Rated Power: 200W
 Program Power: 400W
 Sensitivity: 97dB
 Max SPL: 114dB
 Impedance: 8ohm
 Net Weight: 8KG

Y604 System

SPECIFICATION

System type Y604SA: SUB Speaker
 Frequency Response: 35~1KHZ
 Components: 1x15"/3"VC
 Rated Power: 400W
 Program Power: 800W
 Sensitivity: 98dB
 Max SPL: 127dB
 Impedance: 4ohm/Active
 Net Weight: 32KG
 System type Y604: Two-way Speaker
 Frequency Response: 90~18KHZ
 Component...LF: 6x4"/1"VC
 HF: 1x1"VC/NEO
 Rated Power: 300W
 Program Power: 600W
 Sensitivity: 100dB
 Max SPL: 117dB
 Impedance: 8ohm
 Net Weight: 12KG



1018 SERIES

SPECIFICATION

Subwoofer
18 inch, 4"vc
active
600+600W
Dsp control
98dB/131dB

Line array
Information
Check model linx-110



SPECIFICATION

Model name	512	515	525	518	528
Power RMS	300W	450W	900W	800W	1600W
Power PEAK	600W	900W	1200W	1600W	3200W
Frequency	50Hz-20KHz	45Hz-20KHz	40Hz-20KHz	40Hz-300Hz	30Hz-300Hz
Sensitivity(1w@1m)	98dB	98dB	101dB	98dB	101dB
Peak SPL	126dB	128dB	131dB	131dB	134dB
LF system	12"woofer, 500Z magnet, 2.5"VoiceCoil, Al.Frame	15"woofer, 800Z magnet, 3"VoiceCoil, Al.Frame	2x15"woofer, 800Z magnet, 3"VoiceCoil, Al.Frame	18"woofer, 1250Z magnet, 4"VoiceCoil, Al.Frame	2x18"woofer, 1250Z magnet, 4"VoiceCoil, Al.Frame
HF system	1.75"Titanium	1.75"Titanium	2Titanium	NO	NO
Cabinet Material	MDF, Paint	MDF, Paint	MDF, Paint	plywood, Paint	plywood,Paint



WOODEN BOX SERIES

LW-3

SPECIFICATION

System type LW-3: Three-way Speaker
Frequency Response: 55~20KHZ
Component...LF: 1x15"/3"VC
MF: 1x6.5"/1.5"VC
HF: 1x1.73"VC
Rated Power: 400W
Program Power: 800W
Sensitivity: 98dB
Max SPL: 127dB
Impedance: 8ohm
Net Weight: 29KG




SPECIFICATION

Model name	712	715	725	718	728
Power RMS	400W	450W	900W	800W	1600W
Power PEAK	800W	900W	1800W	1600W	3200W
Frequency	45Hz-20KHz	45Hz-20KHz	40Hz-20KHz	40Hz-300Hz	30Hz-300Hz
Sensitivity(1w@1m)	98dB	98dB	101dB	98dB	101dB
Peak SPL	127dB	128dB	131dB	131dB	134dB
LF system	12"woofer, 700Z magnet, 2.5"VoiceCoil, Al.Frame	15"woofer, 800Z magnet, 3"VoiceCoil, Al.Frame	2x15"woofer, 800Z magnet, 3"VoiceCoil, Al.Frame	18"woofer, 1250Z magnet, 4"VoiceCoil, Al.Frame	2x18"woofer, 1250Z magnet, 4"VoiceCoil, Al.Frame
HF system	1.75"Titanium	1.75"Titanium	1.75"Titanium	NO	NO
Cabinet Material	MDF, Paint	MDF, Paint	MDF, Paint	MDF, Paint	MDF, Paint

WOODEN BOX SERIES

SPECIFICATION

Model name	LC-315	LC-325	LC-318
Power RMS	300W	600W	500W
Power PEAK	600W	1200W	1000W
Frequency	44Hz-20KHz	40Hz-20KHz	40Hz-300Hz
Sensitivity(1w@1m)	98dB	101dB	98dB
Peak SPL	126dB	129dB	128dB
LF system	15"woofer, 500Z magnet, 2.5"VoiceCoil, stell. Frame	2x15"woofer, 500Z magnet, 2.5"VoiceCoil, stell. Frame	18"woofer, 800Z magnet, 3"VoiceCoil, Al.Frame
HF system	1.75"Titanium	1.75"Titanium	NO
Cabinet Material	Flakeboard	Flakeboard	Flakeboard



SPECIFICATION

Model name	LC-415	Lc-425
Power RMS	400W	800W
Power PEAK	800W	1600W
Frequency	44Hz-20KHz	40Hz-20KHz
Sensitivity(1w@1m)	98dB	101dB
Peak SPL	128dB	130dB
LF system	15"woofer, 600Z magnet, 3"VoiceCoil, stell. Frame	2X15"woofer, 600Z magnet, 3"VoiceCoil, stell. Frame
HF system	1.75"Titanium	1.75"Titanium
Cabinet Material	Flakeboard OR MDF	Flakeboard OR MDF



WOODEN BOX SERIES

SPECIFICATION

Model name	JR-12	JR-15	JR-215	JR-155	JR-185	JR-3A
Power RMS	300W	450W	900W	550W	700W	800W
Power PEAK	600W	900W	1800W	1100W	1400W	1600W
Frequency	50Hz-20KHz	45Hz-20KHz	40Hz-20KHz	40Hz-300Hz	42Hz-300Hz	42Hz-300Hz
Sensitivity(1w@1m)	97dB	98dB	101dB	97dB	98dB	98dB
Peak SPL	126dB	128dB	131dB	130dB	131dB	131dB
LF system	12"woofer, 700Z magnet, 3"VoiceCoil,	15"woofer, 800Z magnet, 3"VoiceCoil,	2x15"woofer, 800Z magnet, 3"VoiceCoil,	15"woofer, 1000Z magnet, 4"VoiceCoil,	18"woofer, 1250Z magnet, 4"VoiceCoil,	3x10"woofer, 500Z magnet, 2.5"VoiceCoil, MID IS 400Z, 2"VOICE
HF system	1.75"Titanium	1.75"Titanium	2"Titanium	NO	NO	2x1.44"
Cabinet Material	Plywood, Paint	Plywood, Paint	Plywood, Paint	Plywood, Paint	Plywood, Paint	Plywood, Paint

WOODEN BOX SERIES

SPECIFICATION

Model name	612	615	625	618	628
Power RMS	300W	450W	900W	800W	1200W
Power PEAK	600W	900W	1800W	1600W	2400W
Frequency	50Hz-20KHz	45Hz-20KHz	40Hz-20KHz	40Hz-300Hz	42Hz-300Hz
Sensitivity(1w@1m)	96dB	98dB	101dB	98dB	101dB
Peak SPL	125dB	128dB	131dB	131dB	134dB
LF system	12"woofer, 50OZ magnet, 2.5"VoiceCoil,	15"woofer, 60OZ magnet, 3"VoiceCoil,	2x15"woofer, 60OZ magnet, 3"VoiceCoil,	18"woofer, 100OZ magnet, 4"VoiceCoil,	2x18"woofer, 100OZ magnet, 4"VoiceCoil,
HF system	1.75"Titanium	1.75"Titanium	1.75"Titanium	NO	NO
Cabinet Material	MDF, Paint	MDF, Paint	MDF, Paint	MDF, Paint	MDF, Paint



SPECIFICATION

Model name	LC-12	LC-212
Power RMS	300W	600W
Power PEAK	600W	1200W
Frequency	50Hz-20KHz	40Hz-20KHz
Sensitivity(1w@1m)	97dB	100dB
Peak SPL	126dB	129dB
LF system	12"woofer, 50OZ magnet, 2.5"VoiceCoil, stell.Frame	2x12"woofer, 50OZ magnet, 2.5"VoiceCoil, stell.Frame
HF system	1.35"Titanium	1.75"Titanium
Cabinet Material	Flakeboard	Flakeboard



SPECIFICATION

Model name	LC-15	LC-215
Power RMS	400W	800W
Power PEAK	800W	1600W
Frequency	40Hz-20KHz	35Hz-20KHz
Sensitivity(1w@1m)	98dB	101dB
Peak SPL	128dB	131dB
LF system	15"woofer, 60OZ magnet, 3"VoiceCoil, stell. Frame	2x15"woofer, 60OZ magnet, 3"VoiceCoil, stell. Frame
HF system	1.75"Titanium	1.75"Titanium
Cabinet Material	Flakeboard	Flakeboard

SPECIFICATION

Model name	915	925	925L
Power RMS	450W	900W	1000W
Power PEAK	900W	1800W	2000W
Frequency	43Hz-20KHz	43Hz-20KHz	42Hz-20KHz
Sensitivity(1w@1m)	98dB	101dB	103dB
Peak SPL	128dB	131dB	134dB
LF system	15"woofer, 85OZ magnet, 3"VoiceCoil, Al.Frame	2x15"woofer, 85OZ magnet, 3"VoiceCoil, Al.Frame	15"woofer, 100OZ magnet, 4"VoiceCoil, Al.Frame
HF system	1.75"Titanium	1.75"Titanium	NO
Cabinet Material	MDF,Paint	MDF,Paint	MDF,Paint






WOODEN BOX SERIES

SPECIFICATION

Model name	812	815	825
Power RMS	400W	600W	1000W
Power PEAK	800W	1200W	200W
Frequency	45Hz-20KHz	43Hz-20KHz	43Hz-20KHz
Sensitivity(1w@1m)	98dB	98dB	101dB
Peak SPL	131dB	131dB	136dB
LF system	12"woofer, 60OZ magnet, 3"VoiceCoil, Al.Frame	15"woofer, 100OZ magnet, 4"VoiceCoil, Al.Frame	2x15"woofer, 100OZ magnet, 4"VoiceCoil, Al.Frame
HF system	1.75"Titanium	2"Titanium	3"Titanium
Cabinet Material	PLYWOOD,Paint	PLYWOOD,Paint	PLYWOOD,Paint

SPECIFICATION

Model name	818	828
Power RMS	800W	1600W
Power PEAK	1600W	3200W
Frequency	35Hz-250Hz	29Hz-150Hz
Sensitivity(1w@1m)	96dB	99dB
Peak SPL	128dB	131dB
LF system	18"woofer, 125OZ magnet, 4"VoiceCoil, Al.Frame	2x18"woofer, 125OZ magnet, 4"VoiceCoil, Al.Frame
HF system	NO	NO
Cabinet Material	PLYWOOD,Paint	PLYWOOD,Paint



WOODEN BOX SERIES

SPECIFICATION

Model name	PS-12	PS-15	PS-15S	PS-18S	PS-1200
Power RMS	300W	450W	600W	800W	1000W
Power PEAK	600W	900W	1200W	1600W	2000W
Frequency	45Hz-20KHz	40Hz-20KHz	40Hz-300Hz	30Hz-300Hz	30Hz-300Hz
Sensitivity(1w@1m)	98dB	98dB	98dB	98dB	99dB
Peak SPL	126dB	128dB	129.5dB	131dB	131dB
LF system	12"woofer, 50OZ magnet, 2.5"VoiceCoil, Al.Frame	15"woofer, 80OZ magnet, 3"VoiceCoil, Al.Frame	15"woofer, 100OZ magnet, 4"VoiceCoil, Al.Frame	18"woofer, 125OZ magnet, 4"VoiceCoil, Al.Frame	18"Coil, 125OZ magnet, 4"Coil, Al.Frame
HF system	1.75"Titanium	1.75"Titanium	NO	NO	NO
Cabinet Material	Plywood,Paint	Plywood,Paint	Plywood,Paint	Plywood,Paint	Plywood,Paint



GF-001



GF-002



GF-003



GF-004



GF-005



GF-006



GF-007



GF-008



GF-009




GF-010



GF-011



GF-012



GF-013



GF-014



GF-015



GF-016



GF-017



GF-018



GF-019



GF-020

WALL SPEAKER SERIES



MSB-406
4inch



MSB-504
5, 6inch



MSB-604 Series
4, 5, 6inch



408
4inch




SP Series
4, 5, 6, 8inch



LD-888

SPECIFICATION

Subwoofer: 8 inch 2"vc
8 pcs mid and tweeter
Power is: 200+100w
With battery or Without battery



LD-999

SPECIFICATION

Subwoofer: 10 inch 2.5 VC
8pcs mid and tweeter
Power is: 200+100
With battery or without battery



Model Name: LA

8inch—15inch
Active & Passive



Model Name: LB

8inch—15inch
Active & Passive



Model Name: LC

8inch—15inch
Active & Passive



Model Name: LD

8inch—15inch
Active & Passive



Model Name: LE
8inch—15inch
Active & Passive



Model Name: LF
8inch—15inch
Active & Passive



Model Name: LI
8inch—15inch
Active & Passive



Model Name: LJ
8inch—15inch
Active & Passive



Model Name: LG
8inch—15inch
Active & Passive



Model Name: LH
8inch—15inch
Active & Passive



Model Name: LK
8inch—15inch
Active & Passive



Model Name: LL
8inch—15inch
Active & Passive



Model Name: LM
8inch—15inch
Active & Passive



Model Name: LN
8inch—15inch
Active & Passive



Model Name: LQ
8inch—15inch
Active & Passive



Model Name: LR
8inch—15inch
Active & Passive



Model Name: LO
8inch—15inch
Active & Passive



Model Name: LP
8inch—15inch
Active & Passive



Model Name: LS
8inch—15inch
Active & Passive



Model Name: LT
8inch—15inch
Active & Passive



Model Name: LU
8inch—15inch
Active & Passive



Model Name: LV
8inch—15inch
Active & Passive



Model Name: LY
8inch—15inch
Active & Passive



Model Name: LZ
8inch—15inch
Active & Passive



Model Name: LW
8inch—15inch
Active & Passive



Model Name: LX
8inch—15inch
Active & Passive



Model Name: LSC-15
8inch—15inch
Active & Passive



Model Name: LCA
8inch—15inch
Active & Passive

WOOFER & TWEETER SERIES



Model Name: 10NHL76

10" NEO Woofer, Aluminum frame

VC size: 3"ccaw,single side
 Magnet: 74x10mm
 Sensitivity: 98db
 Impedance: 8 Ohm
 Power:300 Watt RMS
 Outer carton: 28x28x17cm
 Pcs/carton: 1Pc
 G.W/N.W: 4/3 kg
 CBM/Ctn: 0.013



Model Name: 15PS76

15" Woofer, Aluminum Basket

VC size: 3"
 Magnet: 78 OZ 190x90x20
 Sensitivity: 97.6dB
 Impedance: 8 Ohm
 Power(RMS): 350 W
 Outer carton: 42x42x19cm
 Pcs/carton: 1Pc
 G.W/N.W: 9/8 kg
 CBM/Ctn: 0.034
 Pcs/20"container: 820pcs/820ctns



Model Name: 18PS76

18" Woofer, Aluminum Basket

VC size: 3"
 Magnet: 78 OZ 190x90x20
 Sensitivity: 98dB
 Impedance: 8 Ohm
 Power(RMS): 500 W
 Outer carton: 50x50x22cm
 Pcs/carton: 1Pc
 G.W/N.W: 12.2/11.2 kg
 CBM/Ctn: 0.055
 Pcs/20"container: 510pcs/510ctns

WOOFER & TWEETER SERIES



Model Name: 15PS100

15" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 100 OZ 220x110x20
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 450 W
 Outer carton: 42x42x19cm
 Pcs/carton: 1Pc
 G.W/N.W: 10.8/9.8 kg
 CBM/Ctn: 0.034
 Pcs/20"container: 820pcs/820ctns



Model Name: 18PS100

18" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 125 OZ 220x110x25
 Sensitivity: 98dB
 Impedance: 8 Ohm
 Power(RMS): 800 W
 Outer carton: 50x50x22cm
 Pcs/carton: 1Pc
 G.W/N.W: 13.8/12.4 kg
 CBM/Ctn: 0.055
 Pcs/20"container: 510pcs/510ctns



Model Name: 12TBX100

12" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 125 OZ 220x110x25
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 500 W
 Outer carton: 37x37x22cm
 Pcs/carton: 1Pc
 G.W/N.W: 13/11 kg
 CBM/Ctn: 0.03
 Pcs/20"container: 930pcs/930ctns

WOOFER & TWEETER SERIES



Model Name: 15TBX100

15" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 125 OZ 220x110x25
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 600 W
 Outer carton: 42x42x19cm
 Pcs/carton: 1Pc
 G.W/N.W: 13.1x12.1 kg
 CBM/Ctn: 0.034
 Pcs/20"container: 820pcs/820ctns



Model Name: 18TBX100

18" NEO Woofer, Aluminum frame

VC SIZE :4"CCAW
 Magnet: 220x110x25
 Sensitivity: 97dB
 Impedance: 8ohm
 Power: 800w RMS



Model Name: 18TBW100

18" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 125 OZ 220x110x25
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 800 W
 Outer carton: 51x51x27cm
 Pcs/carton: 1Pc
 G.W/N.W: 16/14 kg
 CBM/Ctn: 0.01
 Pcs/20"container: 400pcs/400ctns

WOOFER & TWEETER SERIES



Model Name: 12NDL76

12" NEO Woofer, Aluminum Basket

VC size: 3" ccaw, single side
 Magnet: 74x10mm
 Sensitivity: 98dB
 Impedance: 8 Ohm
 Power(RMS): 350 Watt RMS
 Outer carton: 37x37x22cm
 Pcs/carton: 1Pc
 G.W/N.W: 4.5/3.5 kg
 CBM/Ctn: 0.03
 Pcs/20"container: 930pcs/930ctns



Model Name: 15NDL76

15" NEO Woofer, Aluminum Basket

VC size: 3" ccaw, single side
 Magnet: 74x10mm
 Sensitivity: 98dB
 Impedance: 8 Ohm
 Power(RMS): 400 Watt RMS
 Outer carton: 42x42x19cm
 Pcs/carton: 1Pc
 G.W/N.W: 5.6/4.6 kg
 CBM/Ctn: 0.034
 Pcs/20"container: 820pcs/820ctns



Model Name: 18SW100

18" Woofer, Aluminum Basket

VC size: 3" SV Inside-out
 Magnet: 90x14mm
 Sensitivity: 98dB
 Impedance: 8 Ohm
 Power(RMS): 1000 W
 Outer carton: 51x51x27cm
 Pcs/carton: 1Pc
 G.W/N.W: 12/10 kg
 CBM/Ctn: 0.07
 Pcs/20"container: 400pcs/400ctns

WOOFER & TWEETER SERIES



Model Name: 12ND100

12" NEO Woofer, Aluminum Basket

VC size: 4" SV Inside-out
 Magnet: 90x10mm
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 500 W
 Outer carton: 37x37x22cm
 Pcs/carton: 1Pc
 G.W/N.W: 5.5/4.5 kg
 CBM/Ctn: 0.03
 Pcs/20"container: 930pcs/930ctns



Model Name: 15ND100

15" NEO Woofer, Aluminum Basket

VC size: 4" SV Inside-out
 Magnet: 90x10mm
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 600 W
 Outer carton: 44x44x25cm
 Pcs/carton: 1Pc
 G.W/N.W: 6.5/5 kg
 CBM/Ctn: 0.048
 Pcs/20"container: 580pcs/580ctns



Model Name: 18F100

18" Woofer, Aluminum Basket

VC size: 4-inch, fiberglass inside-outside copper voice coil
 Magnet: 225x110x25
 Sensitivity: 97.5dB
 Impedance: 8 Ohm
 Power(RMS): 800 W

WOOFER & TWEETER SERIES



Model Name: 12BM300B

12" Woofer, Aluminum Basket

VC size: 3"
 Magnet: 82 OZ 190x90x20
 Sensitivity: 97 dB
 Impedance: 8 Ohm
 Power(RMS): 400 W
 Outer carton: 34x34x17 cm
 Pcs/carton: 1Pc
 G.W/N.W: 7.4/6.1 kg
 CBM/Ctn: 0.024



Model Name: 15BM300B

15" Woofer, Aluminum Basket

VC size: 3"
 Magnet: 82 OZ 190x90x20
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 300W
 Outer carton: 42x42x20cm
 Pcs/carton: 1Pc
 G.W/N.W: 9/8kg
 CBM/Ctn: 0.035
 Pcs/20"container: 710pcs/710ctns



Model Name: 15BM500B

15" Woofer, Aluminum Basket

VC size: 3"
 Magnet: 96 OZ 200x110x25
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 500W
 Outer carton: 42x42x20cm
 Pcs/carton: 1Pc
 G.W/N.W: 10.6/9.6kg
 CBM/Ctn: 0.035
 Pcs/20"container: 710pcs/710ctns

WOOFER & TWEETER SERIES



Model Name: C18600LF

18" Woofer, Aluminum Basket

VC size: 4"
Magnet: 125 OZ 220x110x25
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W
Outer carton: 51x51x22cm
Pcs/carton: 1Pc
G.W/N.W: 14/13 kg
CBM/Ctn: 0.057
Pcs/20"container: 490pcs/490ctns



Model Name: C15600EL

15" Woofer, Aluminum Basket

VC size: 3"
Magnet: 80 OZ 190x90x20
Sensitivity: 96dB
Impedance: 8 Ohm
Power(RMS): 600 W
Outer carton: 42x42x20cm
Pcs/carton: 1Pc
G.W/N.W: 13/12 kg
CBM/Ctn: 0.035
Pcs/20"container: 710pcs/710ctns



Model Name: C18650EL

18" Woofer, Aluminum Basket

VC size: 4" CCAR, single side
Magnet: 125 OZ 220x110x25
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W
Outer carton: 51x51x27cm
Pcs/carton: 1Pc
G.W/N.W: 14/13 kg
CBM/Ctn: 0.07
Pcs/20"container: 400pcs/400ctns

WOOFER & TWEETER SERIES



Model Name: P180/2241

18" Woofer, Aluminum Basket

VC size: 4"
Magnet: 125 OZ 220x110x25
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W
Outer carton: 51x51x22cm
Pcs/carton: 1Pc
G.W/N.W: 13/12 kg
CBM/Ctn: 0.057
Pcs/20"container: 490pcs/490ctns



Model Name: P180/2242

18" Woofer, Aluminum Basket

VC size: 4" CCAR, single side
Magnet: 125 OZ 220x110x25
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W
Outer carton: 51x51x27cm
Pcs/carton: 1Pc
G.W/N.W: 14/13 kg
CBM/Ctn: 0.07
Pcs/20"container: 400pcs/400ctns



Model Name: SD15

15" Woofer, Aluminum Basket

VC size: 4" SV
Magnet: 125 OZ 220x110x25
Sensitivity: 96dB
Impedance: 8 Ohm
Power(RMS): 600 W
Outer carton: 44x44x25cm
Pcs/carton: 1Pc
G.W/N.W: 13/12 kg
CBM/Ctn: 0.048
Pcs/20"container: 580pcs/580ctns

WOOFER & TWEETER SERIES



Model Name: SD18

18" Woofer, Aluminum Basket

VC size: 4" SV
 Magnet: 125 OZ 220x110x25
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 800 W
 Outer carton: 51x51x27cm
 Pcs/carton: 1Pc
 G.W/N.W: 14/13 kg
 CBM/Ctn: 0.07
 Pcs/20"container: 400pcs/400ctns



Model Name: 18HP1030

18" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 125 OZ 220x110x25
 Sensitivity: 97.5dB
 Impedance: 8 Ohm
 Power(RMS): 800 W
 Outer carton: 51x51x22cm
 Pcs/carton: 1 Pc
 G.W/N.W: 13.8/12.8 kgs
 CBM/Ctn: 0.057
 Pcs/20"container: 490 pcs/ 490 ctns



Model Name: 15HP1030

15" Woofer, Aluminum Basket

VC size: 4"
 Magnet: 100 OZ 220x110x20
 Sensitivity: 97dB
 Impedance: 8 Ohm
 Power(RMS): 600 W

WOOFER & TWEETER SERIES



Model Name: KS-18DP

18" Woofer, Aluminum Basket

VC size: 5" Outside &Inside
 Dual Spider
 Magnet: 200 OZ 280x140x25 Y30
 Sensitivity: 99dB
 Impedance: 8 Ohm
 Power(RMS): 1200 W
 Pcs/carton: 1Pc
 G.W/N.W: 18/17 kg
 CBM/Ctn: 0.06cbm



Model Name: MAX-18DP

18" Woofer, Aluminum Basket

VC size: 5" Outside &Inside
 Dual Spider
 Magnet: 200 OZ 280x140x25 Y30
 Sensitivity: 99dB
 Impedance: 8 Ohm
 Power(RMS): 1200 W
 Pcs/carton: 1Pc
 G.W/N.W: 18/17 kg
 CBM/Ctn: 0.06cbm



Model Name: Y-18-PLUS

18" Woofer, Aluminum Basket

VC size: 4" Outside &Inside
 Dual Spider
 Magnet: 2x100OZ Y30
 2x 220x110x20 Y30
 Sensitivity: 99dB
 Impedance: 8 Ohm
 Power(RMS): 1000 W
 Pcs/carton: 1Pc
 G.W/N.W: 17/16 kg
 CBM/Ctn: 0.06cbm

WOOFER & TWEETER SERIES



Model Name: L10-750YK

10" Woofer, Aluminum Basket

VC size: 3" SV CCAW, single side
Magnet: 170x85x20
Sensitivity: 98dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: LF12G301

12" Woofer, Aluminum Basket

VC size: 3-inch, fibreglass side copper voice coil
Magnet: 190x90x20
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: L12P540

12" Woofer, Aluminum Basket

VC size: 3-inch, fibreglass side copper voice coil
Magnet: 190x90x20
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: LF12X401

12" Woofer, Aluminum Basket

VC size: 3 inch, fibreglass side copper voice coil
Magnet: 190x90x20
Sensitivity: 96.5dB
Impedance: 8 Ohm
Power(RMS): 800 W

WOOFER & TWEETER SERIES



Model Name: L15P400

15" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass side copper voice coil
Magnet: 200x110x20
Sensitivity: 98dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: L15P540

15" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass side copper voice coil
Magnet: 220x110x20
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: LF15G401

15" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass side copper voice coil
Magnet: 220x110x20
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: LF15X400

15" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass side copper voice coil
Magnet: 220x110x20
Sensitivity: 97dB
Impedance: 8 Ohm
Power(RMS): 800 W

WOOFER & TWEETER SERIES



Model Name: L15X401

15" Woofer, Aluminum Basket

VC size: 4.5inch, fibreglass inside-outside
copper voice coil
Magnet: 250x140x25
Sensitivity: 96.5dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: L18P300

18" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass inside-outside
copper voice coil
Magnet: 220x110x25
Sensitivity: 97.5dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: L18P400

18" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass inside-outside
copper voice coil
Magnet: 220x110x25
Sensitivity: 97.5dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: L18G400

18" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass inside-outside
copper voice coil
Magnet: 220x110x25
Sensitivity: 97.5dB
Impedance: 8 Ohm
Power(RMS): 800 W

WOOFER & TWEETER SERIES



Model Name: LF18G401

18" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass inside-outside
copper voice coil
Magnet: 220x110x25
Sensitivity: 97.5dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: LF18X400

18" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass inside-outside
copper voice coil
Magnet: 220x110x25
Sensitivity: 97.5dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: LF18X401

18" Woofer, Aluminum Basket

VC size: 4-inch, fibreglass inside-outside
copper voice coil
Magnet: 250x140x25
Sensitivity: 97.5dB
Impedance: 8 Ohm
Power(RMS): 800 W



Model Name: 12HP1030

12" Woofer, Aluminum Basket

VC size: 3"
Magnet: 80 OZ 190x90x20
Sensitivity: 96dB
Impedance: 8 Ohm
Power(RMS): 400 W

WOOFER & TWEETER SERIES



Model Name: LF12N401

12" NEO Woofer, Aluminum Basket

VC size: 3"SV Inside-out
Magnet: 72x10
Sensitivity: 98dB
Impedance: 8 Ohm
Power(RMS): 400 W



Model Name: LF15N401

15" NEO Woofer, Aluminum Basket

VC size: 4"SV Inside-out
Magnet: 90x14
Sensitivity: 96dB
Impedance: 8 Ohm
Power(RMS): 600 W



Model Name: LF18N401

18" NEO Woofer, Aluminum Basket

VC size: 4"SV Inside-out
Magnet: 90x14
Sensitivity: 98dB
Impedance: 8 Ohm
Power(RMS): 1000 W



Model Name: L21X451

Fiberglass inside&outside copper coil

VC SIZE: 4.5"
Magnet: 250x140x25
Sensitivity: 97dB
28Hz-1KHz
Impedance: 8ohm
Power: 1200w RMS

WOOFER & TWEETER SERIES



Model Name: Z-4403

Nominal impedance: 8ohm(AC)
Power capacity: 60W
Frequency range: 600Hz-20kHz
Sensitivity: 110dB/m.w
Diaphragm material: Titanium
Voice coil: Kapton 44.4mm(1.75")
Magnet: 23oz



Model Name: Z-4404

Nominal impedance: 8ohm(AC)
Power capacity: 60W
Frequency range: 600Hz-20kHz
Sensitivity: 110dB/m.w
Diaphragm material: Titanium
Voice coil: Kapton 44.4mm(1.75")
Magnet: 23oz



Model Name: Z-7203

Nominal impedance: 8ohm(AC)
Power capacity: 100W
Frequency range: 500Hz-20kHz
Sensitivity: 100dB/m.w
Diaphragm material: Titanium
Voice coil: Kapton 72.5mm(2.85")
Magnet: 49oz
Throat: 50mm(2")
Size: Ø156x63mm
N.W/PC: 3.33kg



Model Name: Z-7204

Nominal impedance: 8ohm(AC)
Power capacity: 110W
Frequency range: 500Hz-20kHz
Sensitivity: 100dB/m.w
Diaphragm material: Titanium
Voice coil: Kapton 72.2mm(2.84")
Magnet: 62oz
Throat: 50mm(2")
Size: Ø170x56mm
N.W/PC: 4.7kg

WOOFER & TWEETER SERIES



Model Name: Z-7205

Nominal impedance: 8ohm(AC)
 Power capacity: 110W
 Frequency range: 500Hz-20kHz
 Sensitivity: 100dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 72.2mm(2.84")
 Magnet: 62oz
 Throat: 50mm(2")
 Size: Ø170x71mm
 N.W/PC: 4.66kg



Model Name: Z-7206

Nominal impedance: 8ohm(AC)
 Power capacity: 110W
 Frequency range: 500Hz-20kHz
 Sensitivity: 100dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 72.5mm(2.85")
 Magnet: 62oz
 Throat: 50mm(2")
 Size: Ø170x71mm
 N.W/PC: 5.0kg



Model Name: Z-1001

Nominal impedance: 8ohm(AC)
 Power capacity: 150W
 Frequency range: 500Hz-20kHz
 Sensitivity: 100dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 99.2mm(3.91")
 Magnet: 66oz
 Throat: 50mm(2")
 Size: Ø190x69mm
 N.W/PC: 5.5kg



Model Name: Z-1002

Nominal impedance: 8ohm(AC)
 Power capacity: 110W
 Frequency range: 500Hz-20kHz
 Sensitivity: 100dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 99.2mm(3.91")
 Magnet: 66oz
 Throat: 50mm(2")
 Size: Ø190x81mm
 N.W/PC: 5.6kg

WOOFER & TWEETER SERIES



Model Name: Z-4410

Nominal impedance: 8ohm(AC)
 Power capacity: 60W
 Frequency range: 600Hz-20kHz
 Sensitivity: 110dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 44.4mm(1.75")
 Magnet: 35oz
 Throat: 25mm(2")
 Size: Ø134x75mm
 Outer carton: 37x25x10cm



Model Name: Z-7210

Nominal impedance: 8ohm(AC)
 Power capacity: 120W
 Frequency range: 500Hz-20kHz
 Sensitivity: 105dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 72.5mm(2.85")
 Magnet: 62oz
 Throat: 50mm(2")
 Size: Ø170x71mm
 Outer carton: 36x19x17.5cm



Model Name: Z-4411

Nominal impedance: 8ohm(AC)
 Power capacity: 60W
 Frequency range: 600Hz-20kHz
 Sensitivity: 110dB/m.w
 Diaphragm material: Titanium
 Voice coil: Kapton 44.4mm(1.75")



Model Name: Z-7207

VC SIZE: 3" coil
 Magnet: 125x8 NEO
 Sensitivity: Impedance: 8ohm
 1K-20KHZ
 110dB